

| | Events/patient-years (pt. yrs.) | | | HM3 v. HM II | | HM3 v. HW | |
|----------------------|---------------------------------|----------------------------------|--------------------------------|-----------------------|---------|-----------------------|---------|
| Type of Complication | HM 3 (n=36, pt. yrs.=49) | HM II (n=63, pt. yrs.=100) | HW (n=92, pt. yrs. =103) | Rate ratio (95% CI) | P value | Rate ratio (95% CI) | P value |
| Mucosal Bleed | 0.06 | 0.24 | 0.32 | 0.26 (0.04–0.84) | <0.01 | 0.18 (0.03–0.56) | <0.01 |
| Pump Thrombosis | 0.00 | 0.11 | 0.14 | 0.0 (0-0.55) | <0.01 | 0 (0-0.81) | 0.02 |
| Neurological | 0.02 | 0.04 | 0.21 | 0.51 (0.01-5.15) | ~1 | 0.10 (0.0–0.60) | <0.01 |
| Survival | n = 36 | n = 85 | n = 103 | Log Rank Test P Value | | Log Rank Test P Value | |
| 1 yr. | 100% | 86% | 79% | 0.04 | | 0.07 | |
| 2 yr. | 100% | 75% | 63% | 0.02 | | <0.01 | |
| 3 yr. | 100% | 67% | 59% | <0.01 | | <0.01 | |